Energy performance certificate (EPC)

99b Dartmouth Road PAIGNTON TQ4 6NF

Energy rating

Valid until: 6 February 2034

Certificate number: 6668-7840-4890-6245-6559

Property type

Retail/Financial and Professional Services

Total floor area


39 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is D.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built 2 A

If typical of the existing stock

7 A

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	40.96
Primary energy use (kWh/m2 per year)	427

Recommendation report

Guidance on improving the energy performance of this property can be found in the <u>recommendation</u> <u>report (/energy-certificate/1744-8330-4281-3899-6610)</u>.

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name Thomas Le Gallez Telephone 07860 611 568 ©

Email <u>legallezsurveys@outlook.com</u>

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme Elmhurst Energy Systems Ltd

Assessor's ID EES/027881

Telephone 01455 883 250 🚳

Email <u>enquiries@elmhurstenergy.co.uk</u>

About this assessment

Employer Le Gallez Surveys Ltd

Employer address 13 Laura Grove, Paignton, Devon, TQ3 2LR
Assessor's declaration The assessor is not related to the owner of the

property.

Date of assessment 6 February 2024
Date of certificate 7 February 2024